Double Multi-block hanger one layer, with angle member adapter



Double Multi block hanger support systems are designed for organizing bundled runs of coax cable. Each space-saving block securely holds two runs of coax, allowing a compact bundle of up to 6x runs to be supported by stacking three blocks.

Technical features

GENERAL SPECIFICATIONS

Product Type	Hanger
Hanger Type	Single Multi-block
Color	Black

TESTING AND ENVIRONMENTAL

Operation Temperature	-50°C to 85°C (-58°F to 185°F)
Storage Temperature	-50°C to 85°C (-58°F to 185°F)

MECHANICAL SPECIFICATIONS


Cable Size	1 5/8
Number of Cable / Waveguide Runs	2 per layer, 1 layer, 2 run
Configuration	incl. Angle member adapter
Material	Metal parts: -Connecting devices:Stainless steel -Angle member adapter: Stainless steel -Plastic parts: Polypropylene
Angle member adapter clamping range mm (in)	4 / 24 (0.157 / 0.945)
Angle member adpter threads	2x M8
Recommended / Maximum Clamp Spacing	1 / 1.2 (3.25 / 4)

PACKAGING INFORMATION

Package Quantity	10
Weight per piece	0.31kg (0.68lb)
Weight per kit	3.1kg (6.8lb)

MBH158-2-F REV : D REV DATE : 15 Nov 2025 www.rfsworld.com

Double Multi-block hanger one layer, with angle member adapter



 MBH158-2-F
 REV : D
 REV DATE : 15 Nov 2025
 www.rfsworld.com